

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(view\$3 review\$3 open\$3 read\$3 screening) with (context) with (application software program code instructions script applet object) and (automatic\$4 dynamic\$4)with (download retriev\$3 updat\$3 install\$3 deliver\$3) with (applet object java\$4) and spam\$4 and (@ad<"19990921" @rlad<"19990921")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/03 08:33
L2	37	(view\$3 review\$3 open\$3 read\$3 screening) with (application software program code instructions script applet object) and (automatic\$4 dynamic\$4) with (download retriev\$3 updat\$3 install\$3 deliver\$3) with (applet object java\$4) and spam\$4 and (@ad<"19990921" @rlad<"19990921")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/03 08:40
L3	0	context with (application software program code instructions script applet object) with before with received near3 (user client) and (automatic\$4 dynamic\$4) with (download retriev\$3 updat\$3 install\$3 deliver\$3) with (applet object java\$4) and spam\$4 and (@ad<"19990921" @rlad<"19990921")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/03 09:46

L4	0	context with (application software program code instructions script applet object) with (prior before) with (download\$3 view\$3 open\$3 received) near3 (user client) and (automatic \$4 dynamic\$4)with (download retriev\$3 updat\$3 install\$3 deliver\$3) with (applet object java\$4) and spam\$4 and (@ad<"19990921" @rlad<"19990921")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/03 09:46
L5	0	context with (application software program code instructions script applet object) same (prior before) with (download\$3 view\$3 open\$3 received) near3 (user client) and (automatic \$4 dynamic\$4)with (download retriev\$3 updat\$3 install\$3 deliver\$3) with (applet object java\$4) and spam\$4 and (@ad<"19990921" @rlad<"19990921")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/03 09:47
L6	0	context with (application software program code instructions script applet object) same (prior before) with (download\$3 view\$3 open\$3 received) near3 (user client) and (applet object java\$4) and spam\$4 and (@ad<"19990921" @rlad<"19990921")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/03 09:47
L7	16	context with (application software program code instructions script applet object) same (prior before) with (download\$3 view\$3 open\$3 received) near3 (user client) and (applet object java\$4 spam\$4 antispam\$4) and (@ad<"19990921" @rlad<"19990921")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/03 09:48
L8	1	("6721784").PN.	USPAT	OR	OFF	2009/03/03 09:50

L9	0	8 and attach%4	USPAT	OR	ON	2009/03/03 09:50
L10	1	8 and (asociated attach\$4)	USPAT	OR	ON	2009/03/03 09:50
L11	1	8 and (asociated attach\$4) with (data information aadress associated content context)	USPAT	OR	ON	2009/03/03 09:55
L12	0	context with (application software program code instructions script applet object) same (prior before after download\$3) same (view\$3 open\$3 received) near3 (user client) and (applet object java\$4) and spam\$4 and (@ad<"19990921" @rlad<"19990921")	US- PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/03 10:02
L13	71	context with (application software program code instructions script applet object) same (prior before after download\$3) same (view\$3 open\$3 received) near3 (user client) and (applet object java\$4) and (@ad<"19990921" @rlad<"19990921")	US- PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/03 10:03
L14	18	context with (application software program code instructions script applet object) with (prior before after download\$3) with (view \$3 open\$3 received) near3 (user client) and (applet object java\$4) and (@ad<"19990921" @rlad<"19990921")	US- PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/03 10:03
L15	2	context with (application software program code instructions script applet object) with (attach\$5 associated) with (prior before after download\$3) with (view \$3 open\$3 received) near3 (user client) and (applet object java\$4) and (@ad<"19990921" @rlad<"19990921")	US- PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/03 10:04

L16	1244	(application software program code instructions script applet object)near5 (associated attach\$5) with context and (@ad<"19990921" @rlad<"19990921")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/03 10:13
L17	0	(application software program code instructions script applet object)near5 (associated attach\$5) with context with (berfore prior) near5 (user client) and (@ad<"19990921" @rlad<"19990921")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/03 10:14
L18	4	(application software program code instructions script applet object)near5 (associated attach\$5) with context with (berfore prior) with (user client) and (@ad<"19990921" @rlad<"19990921")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/03 10:14
L19	277	(application software program code instructions script applet object)near5 (associated attach\$5) with context with (user client) and (@ad<"19990921" @rlad<"19990921")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/03 10:15
L20	120	(application software program code instructions script applet object)near5 (associated attach\$5) near5 context with (user client) and (@ad<"19990921" @rlad<"19990921")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/03 10:15
L21	93	(application software program code instructions script applet object)near5 (associated attach\$5) near5 context with (user client) and (email e-mail mail message spam\$4 antispam\$4) and (@ad<"19990921" @rlad<"19990921")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/03 10:16

L22	93	(application software program code instructions script applet object)near5 (associated attach\$5) near5 context with (user client) and (email e-mail mail message spam\$4 antispam\$4 junk\$4) and (@ad<"19990921" @rlad<"19990921")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/03 10:16
L23	0	(application software program code instructions script applet object)near5 (associated attach\$5) near5 context near5 (email e-mail mail message spam\$4 antispam\$4 junk\$4) with (user client) and (@ad<"19990921" @rlad<"19990921")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/03 10:17
L24	20	(application software program code instructions script applet object)near5 (associated attach\$5) near5 context near5 (email e-mail mail message spam\$4 antispam\$4 junk\$4) and (@ad<"19990921" @rlad<"19990921")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/03 10:17
L25	4	(application software program code instructions script applet object)near5 (associated attach\$5) near5 context near5 (email e-mail mail message spam\$4 antispam\$4 junk\$4) and (@ad<"19990921" @rlad<"19990921") and (java \$6 applet)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/03 10:18

03/ 03/ 2009 10:22:08 AM